

*S*unseeker motoryachts
introducing the Manhattan 73

73
Seventy three



TRULY GLOBAL

Sunseeker Manhattan 73 - Standard specifications

1 Construction

Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powderbound mat
Stitched multi-axial reinforced single skin bottom
Balsa cored hull topsides
Cored deck and superstructure
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck

Fittings all in stainless steel
8 stainless steel deck cleats
Pulpit and cockpit rails
Stainless steel fendering with rubber insert
Stainless steel bow roller with anchor stop
Stainless steel bow plate
Delta anchor and 60m chain (galvanised)
Electric bow winch and capstan with deck, cockpit and flybridge controls 24VDC
Chain locker – fender stowage
Curved safety glass windscreen
3 x Pantograph windscreen wipers 24VDC and washers
Fuel fillers port and starboard
Fresh water filler
IMCO navigation lights
Remote spotlight 24VDC
Ensign staff and socket
Fender tie bar under anchor locker lid
Fore deck storage lockers
Fore deck seating
8 fenders
6 warps

3 Bathing platform

Hydraulic lifting platform
Teak-laid bathing platform and steps
Hot and cold swimming shower
Fresh water marina connection
Dockside mains shore power connection
Stainless steel swimming ladder

4 Flybridge helm position

Access hatch and stairs to cockpit
Self draining
Acrylic deflecting spray screen
Twin helm seats
Hydraulic steering
Duplicate engine controls and instrumentation
Duplicate autopilot controls
Second station VHF
Compass
Rudder indicator
Trim tab control
Radio/CD remote control
Two seating groups
Folding table
Upholstered sunbathing area forward
Instrument cover
Stainless steel guard rails and grab rails
Glass holders either side of sunbed and console
Wetbar with hot and cold water and ice maker
Cockpit speakers
Low-level flybridge lights 24VDC
Lighting under radar arch 24VDC

5 Aft cockpit

Teak-laid cockpit floor
Self draining
Moulded staircase to flybridge
Stern seating
Stern safety gates
Engine room access hatch
2 x stern capstan winches 24VDCDC and fairleads
Rope lockers
Cockpit speakers
Overhead cockpit lights 24VDCDC
Low-level courtesy lights aft cockpit 24VDC

6 Main helm console

Port-side observation area seating group
Upholstered helm seats
Console with walnut type fascia
Leather rimmed chrome steering wheel
Hydraulic power steering
Radar/Chart plotter with GPS
Autopilot
Analogue and digital engine instrumentation
Electronic speed and depth sounder
Rudder indicator
Fresh-water gauge and fuel gauge
VHF radio with DSC
Trim tab controls
Compass
Horn
Switch panels
Windscreen wipers with washers
Demisters
Cigar lighter
Glass holders
Double AC socket
Hand-held fire extinguisher
Side opening door to side deck

7 Saloon

Flush stainless steel glazed sliding door to aft cockpit
Air conditioning
Flatscreen television 40"
Radio/CD/DVD cinema surround system
Coffee table
Halogen overhead lighting 24VDC
2 x double AC sockets
Scatter cushions
Choice of lacquered interior finishes and veneers
Fitted carpet

8 Dining

Large dining area with formal dining table and 8 chairs
Access stairs to the lower decks
Halogen overhead lighting 24VDC
2 x double AC sockets
Fitted carpet

9 Galley

American-style electric refrigerator and freezer with chilled water and ice dispenser
Ceramic hob
Microwave oven
Stainless steel sink
Hot and cold water
Rubbish bin
8 place crockery and cutlery set
2 x double AC sockets
Hand-held fire extinguisher
Dishwasher
First aid kit

10 VIP forward stateroom

Double berth
Drawers and storage beneath
Wardrobe
Dressing table with mirror and stool
Halogen overhead lights 24VDC
2 x reading lights 24VDC
2 x panoramic windows with opening ports and curtains
Deck hatch with screen
Two double AC sockets
Flatscreen television 32"
Air conditioning
Door to en suite toilet/shower
Fitted carpet

11 VIP en suite shower room

Electric toilet
Wash basin, taps and soap dispenser
Toothbrush and glass holder
Towel ring and towels
Mirrored vanity unit
Separate shower compartment
Extractor fan
Halogen overhead light 24VDC
Opening porthole with mosquito screen and blind
Razor socket 240/110v

12 Aft master stateroom

Two panoramic windows with opening ports and curtains
Double berth
Under berth drawers and storage
Bedside cabinets
Fixed settee
Dressing table with mirror and stool
Lockers and drawers
Halogen overhead lights 24VDC
2 x reading lights 24VDC
2 x double AC socket
Flatscreen television 32"
Radio/CD/DVD player
Air conditioning
Walk-in wardrobe
Door to en suite toilet/shower
Fitted carpet

13 Master en suite shower room

Electric toilet
Two wash basin, taps and soap dispenser
Toothbrush and glass holder
Towel ring and towels
Mirrored vanity unit
Separate shower compartment
Extractor fan
Halogen overhead light 24VDC
Opening porthole with mosquito screen and blind
Razor socket 240/110v

14 Starboard guest cabin

Double berth
Drawers and storage beneath
Bedside units
2 x reading lights 24VDC
Vanity unit and Stool
Wardrobe with Mirrored door
Halogen overhead lights 24VDC
Opening porthole with mosquito screen and curtains
Two double AC sockets
Air conditioning
Flatscreen television 19"
En suite shower room

15 Toilet/shower room

Electric toilet
Wash basin, taps and soap dispenser
Toothbrush and glass holder
Towel ring and towels
Mirrored vanity unit
Separate shower compartment
Extractor fan
Halogen overhead light 24VDC
Opening porthole with mosquito screen and blind
Razor socket 240/110v

16 Port guest cabin

2 single berths
Under-berth stowage
2 x reading lights 24VDC
Wardrobe with mirrored door
Halogen overhead lights 24VDC
Opening porthole with mosquito screen and curtains
Double AC socket
Air conditioning
Flatscreen television 19"

17 Crew cabin

Entrance door from rear cockpit
Two singles (or double berth as option)
Wardrobe with mirrored door
Storage lockers
Stern panoramic window with curtains
Opening porthole with mosquito screen and curtain
Halogen overhead lighting 24VDC
Reading lights 24VDC
Double AC socket
Air conditioning
Washer dryer
Separate shower room with hot and cold water
Electric toilet and holding tank
Shaver socket 240/110v

18 Engine compartment and ancillaries

Twin engines
Soundproofing throughout engine room
2 x aluminium cross balanced fuel tanks with electric sending unit
Separate fuel filters/water separators
Automatic fire extinguishers
Engine room and forward bilge flood alarms
Automatic bilge pumps
Automatic flood pumps
4 x extractor fans 24VDC
Manual bilge pump

19 Electrical system

Slow speed generator with underwater silent exhaust and sound box
Shore power dockside connection
Galvanic isolator
24VDC and 12VDC electrical system with full circuit breaker protection
8 x engine batteries 24VDC circuit
8 x domestic batteries 24VDC circuit
4 x generator batteries 12VDC circuit
Alternator split charging system
Remote battery switches controlled from locker in cockpit
Battery charger for 24VDC circuits
Battery charger for 12VDC circuits
AC Water heater
AC sockets throughout the boat
24VDC hand light and cable

20 Underwater gear

Direct shaft drive through tunnels
5-blade nickel aluminium bronze propellers
Bronze P-brackets
Temet 25 stainless steel propeller shafts
Dripless shaft logs with spare seals
High-performance bronze rudders and struts
Seawater strainers x 2 main engines/
1 x generator
Seacocks on all underwater fittings
Full cathodic bonding system to zinc anodes
24VDC electric toilet system
Stainless steel hydraulic trim tabs 24VDC

21 Systems

Hydraulic 24VDC power steering
24VDC electric toilet system
Aluminium fresh-water tank with electric sending unit
24VDC fresh-water pressure system
Hot-water tank

22 Miscellaneous

Tool kit
Boat hook
6 x Mooring warps
8 x Fenders
8 sets towels
Vacuum cleaner

US specification includes:

US specification appliances

Optional extras:

Hydraulic telescopic passerelle
Teak flybridge
Teak side decks
Teak lower cockpit table
Lower deck day-head
Tropical air conditioning
Second generator
Gyro stabilizer
Flybridge crane






73 *Seventy three*

PRINCIPAL CHARACTERISTICS

Classification	CE	
Length overall – (incl. pulpit and transom platform)	22.60m	74' 2"
Beam – (maximum)	5.73m	18' 10"
Draft – (@ full load incl. props)	1.63m	5' 4"
Displacement – (@ half load)	44900 Kg	98780lb
Fuel capacity	5000 litres	1321 US gal.
Fresh-water capacity	1200 litres	317 US gal.
Black-water capacity	185 litres	49 US gal.
Propulsion	Twin fixed-pitch propellers	
Generators – standard	1x 27 kW @ 50Hz 230v single phase (Euro) 1x 27.5 kW @ 60Hz 240/120v single phase (US)	
Maximum speed	up to 34 knots*	
Cruising speed	up to 25 knots*	
Range	up to 325 nautical miles*	

All principal characteristics and specifications are provisional and subject to final specification.

LAYOUT OPTIONS





TRULY GLOBAL

www.sunseeker.com

Awards

Sunseeker's success over the years is clearly underlined by the following list of national and international awards and achievements.

2010	European CEO Corporate Lifestyle Awards	Best Luxury Yacht Company	2004	Sydney Boat Show	Best Marina Display
2010	ShowBoats Design Awards	Predator 130 'Evil Zana' – Winner (Naval Architecture)	2003	Australian Marine Awards	Manhattan 56, Award for Excellence
2010	Quintessentially Awards	Yacht charter of the year	2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht
2010	Sydney Boat Show	Boating Industry Association of NSW – Best Marina Display	2002	Entrepreneur of the Year Award	Robert Braithwaite MBE
2010	Sydney Boat Show	Boating Industry Association of NSW – Best Overall Display	2001	Best Power Design Award	105 Yacht, The Superyacht Society
2010	Asia Boating Awards	Predator 60 – Best Production Motor Yacht 51 to 80 feet	2001	Best Power Interior Award	105 Yacht, The Superyacht Society
2009	Sydney Boat Show	Display of Excellence	2001	President's Award	Southern California Marine Association
2009	Croatia Boat Show	Predator 92 Sport – best in class	2000	Queen's Award for Enterprise	Continuous innovation and development
2009	Croatia Boat Show	30 Metre Yacht – best in class	2000	The Times Exporter of the Year	Times Export Awards
2009	Croatia Boat Show	Best boat show stand	2000	Robb Report Award	Best of the Best, Boating and Sailing
2008	UK Motor Boat of the Year Awards	Manhattan 60	1999	Robb Report Award	Best of the Best, Boating and Sailing
2007	European Powerboat of the Year	Superhawk 43	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards
2007	Modern Boating Magazine	Portofino 47, Imported Powerboat of the Year	1998	Editor in Chief Awards	Yachts Magazine
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards
2007	Nominated by The Superyacht Society	37 Metre Yacht 'The Snapper'	1996	Motorcruiser of the Year Award	RYA British Nautical Awards
2007	Queen's Award for Enterprise	International Trade	1996	Exporter of the Year Award	DCCI Export Awards
2006	Nominated for three Superyacht Awards	Predator 108 'SHIVER'	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1994	Queen's Award for Export Achievement	Queen's Awards for Industry
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1992	Best in the World Award	Renegade 60, Boating Magazine
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1990	Exporter of the Year	SW International Business Awards
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1989	Queen's Award for Export Achievement	Queen's Awards for Industry
2004	Sydney Boat Show	Best Overall Display	1987	Queen's Award for Export Achievement	Queen's Awards for Industry



Sunseeker International Limited has CE Approval which is compulsory for all boats with a LOA of 24m and below when sold in the EU.

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are from existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained in this brochure are provisional only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. In some examples herein we have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker distributor. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker distributor. Distributors are independently owned and operated entities, and therefore Sunseeker distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.